

Solutions for the environmental laboratory









Strong partner in environmental laboratories

When it comes to analysing environmental pollutants and chemicals, every laboratory has to comply with very special regulations and norms. It is of great importance that the analytical results meet the high quality requirements from a wide range of areas.

At C. Gerhardt, we are familiar with the daily routine of environmental laboratories. With our analytical systems, you not only get reliable products, but also expert consultation from our application specialists.

On our website **www.gerhardt.de** you will find detailed information about our analysis systems and their diverse applications in a wide range of industries.

We will be happy to advise you personally - please feel free to contact us: info@gerhardt.de.



Air Filter

omass

Economical Fertiliser

Biogas

Waste Water

Organic Fertiliser

Environmental Analytics

Inorganic Fertiliser

Sludges

Soils

Wood

Construction Waste

Plant Protection Products

SOXTHERM | CLASSIC SOXHLET-APPARATUS

Solid-liquid extraction





- + Safe, automated and fast sample preparation and analysis
- + Handles sample weights up to 50 q, different thimble sizes available
- + Environmentally friendly due to reduced solvent usage

Applications

- Extraction of:
- Lipophilic substances
- Dioxines: halogenated dibenzodioxins and dibenzofurans (for example PCDDs and PCDFs)
- Halogenated and non-halogenated aromatic and aliphatic hydrocarbons
- EOX, PAKs, PCBs, ...
- Plant protection products und pesticides
- Per- und polyfluorinated alkyl compounds (PFAS, PFC) from soils, contaminated sites, sludge, air filters,
- Plasticisers from PVC and other plastics consumer goods as well as undesirable and prohibited substances in food and in animal feeds
- → etc.

CSB AND TRACE METAL DIGESTION UNIT

Special Digestion



- Rapid and automated analysis
- Large sample quantitiesReproducable digestion conditions
- Large number of samples on a small area

Applications

- ChemicalOxygen Demand
- Aqua regia digestion for trace metal determination
- → etc.

CYANID APPARATUS | VAPODEST

Decomposition instrument and steam distillation



Applications

- → Free and bounded cyanide
- → Total cyanide
- → Volatile organic acids
- → Phenol index
- → Total formaldehyd / formaldehydcontent (in emulsion paintswood products, etc.)
- etc.

KJELDATHERM | TURBOTHERM | VAPODEST

Acid digestion, Kjeldahl und Steam distillation







- Rapid and automatable analysis
- + Glass varieties from 100ml to 1200ml
- + Soft start during distillation to avoid strong reactions in the sample tube
- VAPODEST is also available as acid resistant system
- Traceability on different user levels

Applications

- Mineral bound nitrogen
- N-content of manure
- Ammoniom, nitrate, urea and cyanamides containing nitrogen ...
- Nitrate determination with alloy according to Devarda
- Nmin-content
- Ammonia content in soils, sludges, water and waste water
- → etc.

N-Realyzer

Automatic N-determination according to Dumas



- Patent pending autosampler design
- Intuitive software
- Rapid and precise reference results
- Low and predictable operating costs
- Numerous applications: Liquid, pasty, solid samples

Applications

- → Total bounded nitrogen
- → Nitrogen in soils
- Nitrogen/protein in plant materials and fertilisers
- → etc.

MEETING HIGH DEMANDS ON ANALYTICS:

Strict environmental regulations and requirements from national and international norms and guidelines place high demands on analytics. In environmental analysis, a wide variety of matrices and parameters must be analysed. C. Gerhardt's analytical systems cover a wide range of analytical possibilities, here are only a few examples:

| Parameter | Matrix | Gerhardt apparatus |
|---|--|--|
| Low volatile lipophilic substances | water, wastewater and sludge analysis | SOXTHERM or Soxhlet |
| Nitrogen as nitric, ammoniacal, urea and cyanamide nitrogen | fertiliser | KJELDATHERM / VAPODEST |
| Determination of total nitrogen in fertilisers | fertiliser | KJELDATHERM / VAPODEST |
| Total nitrogen content | Sludge, treated biowaste and soil | DUMATHERM |
| Nitrogen content | Soil improvers and growing media | DUMATHERM |
| Total cyanide German standard methods D13 | water, wastewater and sludge analysis | TURBOTHERM TTs CYANID / VAPODEST |
| Determination of nitric and ammoniacal nitrogen according to Devarda | water, wastewater and sludge analysis | KJELDATHERM / VAPODEST |
| Determination of (COD) German standard methods H41 | water and wastewater analysis | KJELDATHERM |
| Determination of the phenol index German standard methods H16 | water, wastewater and sludge analysis | VAPODEST |
| Collection of Measurement Methods for Biogas | In accordance with the VDLUFA methods | KJELDATHERM / VAPODEST / HYDRO- THERM / SOXTHERM /DUMATHERM |
| Digestion for subsequent determination of aqua regia soluble portion of elements in waste, LAGA | waste, soil, sludge, organic waste, sedi- ments | KJELDATHERM |
| Determination of PAH | soils/waste/sewage sludge | SOXTHERM |
| Determination of EOX German standard methods S 17 | sludge or sediment sample | SOXTHERM or Soxhlet |
| Determination of PCB | soils, sewage sludge, solid waste | SOXTHERM or Soxhlet |



APPLICATION SERVICE

Our laboratory staff is regularly trained and is always available for specific questions. If desired, we can optimise your applications or create an application specifically for you.

- On-site service
- Evaluation of your samples in our application laboratory
- Applicative Support (Webinars / Trainings / Online-Support)
- Consultation / Installation and Training
- Aftersales Service / Customer Service

Have you heard of our webinars?



STRONG PARTNER

We are global leaders in the automation of reference analysis. We stand for the development, production and global distribution of highly efficient, precise and reliable analytical systems.

Our specialties are automatic systems for

- + Nitrogen analysis according to Kjeldahl
- Nitrogen analysis according to Dumas
- + Determination of fat content (hydrolysis and extraction)
- + Analysis of plant fibres (crude fibre, ADF, NDF)



C. Gerhardt GmbH & Co. KG Cäsariusstraße 97 53639 Königswinter, Germany Tel. +49 (0) 2223 / 2999-0 info@gerhardt.de www.gerhardt.de