

Date printed 28.08.2024, Revision 28.08.2024

Version 4.0. Supersedes version: 3.0 Page 1 / 10

SEC	SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1	1 Product identifier		
		DumaReact, Prepacked combustion reactor, filled with HT and LT catalyst, 1 pc Article number: 14-0244	
1.2	Relevant identified uses of the su	ubstance or mixture and uses advised against	
1.2.1	Relevant uses		
		Catalyst is in the form of the article	
1.2.2	2 Uses advised against		
		None known.	
1.3	Details of the supplier of the safe	ety data sheet	
	Company	C. Gerhardt GmbH & Co. KG Cäsariusstraße 97 53639 Königswinter / GERMANY Phone +49 (0)2223 2999 - 0 Fax +49 (0)2223 2999 - 99 Homepage www.gerhardt.de E-mail info@gerhardt.de	
	Address enquiries to		
	Technical information	info@gerhardt.de	
	Safety Data Sheet	sdb@chemiebuero.de (No dispatch of safety data sheets)	
		Safety data sheets are available from the supplier.	
1.4	Emergency telephone number		
	Company	+49 (0) 2223 2999-0 Mo-Fr 8:00 - 16:00	
SEC	TION 2: Hazards identification		
2.1	Classification of the substance of	r mixture [REGULATION (GB) CLP]	
		Eye Dam. 1: H318 Causes serious eye damage. Aquatic Acute 1: H400 Very toxic to aquatic life. Aquatic Chronic 1: H410 Very toxic to aquatic life with long lasting effects.	
2.2	Label elements		
	Hazard pictograms		
	Signal word	DANGER	
	Contains:	Dicopper oxide	
	Hazard statements	H318 Causes serious eye damage. H410 Very toxic to aquatic life with long lasting effects.	
	Precautionary statements	 P273 Avoid release to the environment. P280 Wear protective gloves / eye protection / face protection. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER / doctor. P391 Collect spillage. P501 Dispose of contents/container in accordance with local/national regulation. 	

Safety Data Sheet (UK REACH) (UK)
DumaReact, Prepacked combustion reactor, filled with HT and LT catalyst, 1 pc
Article number 14-0244
C. Gerhardt GmbH & Co. KG
53639 Königswinter



Date printed 28.08.2024, Revision 28.08.2024 Version 4.0. Supersedes version: 3.0	Page 2 / 10
---	-------------

2.3 Other hazards

Other hazards

The structural design prevents release of the hazardous media contained therein when the unit is used for its intended purpose. Further hazards were not determined with the current level of knowledge.

			Further hazards were not determined with the current level of knowledge.
SEC	TION 3: Compo	sition / Informatio	n on ingredients
3.1	Substances		
•••	not applicable		
	nor applicable		
.2	Mixtures		
	The product is a	mixture.	
	Range [%]	Substance	
	10 - 20	Dicopper oxide	
		CAS: 1317-39-1, E	INECS/ELINCS: 215-270-7, EU-INDEX: 029-002-00-X
			Fox. 4: H312 H332 - Eye Dam. 1: H318 - Aquatic Acute 1: H400 - Aquatic Chronic 1: H410, 100, M-Factor (chronic): 10
	Comment on cor	mponent parts	For full text of H-statements: see SECTION 16. The structural design prevents release of the hazardous media contained therein when the
			unit is used for its intended purpose.
			Article (according to REACH Art. 3 paragraph 3)
EC	TION 4: First aid	d measures	
.1	Description of	first aid measures	
•	General information		
	General Informa	tion	Take off contaminated clothing and wash before reuse.
	Inhalation		Ensure supply of fresh air.
			In the event of symptoms seek medical treatment.
	Skin contact		When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists.
	Eye contact		Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy
			to do. Continue rinsing. Consult a doctor immediately.
			Shield unaffected eye.
	Ingestion		Rinse mouth.
			Seek medical advice immediately.
.2	Most importan	t symptoms and e	ffects, both acute and delayed
			No information available.
.3	Indication of a	ny immediate med	lical attention and special treatment needed
			Treat symptomatically.
EC	TION 5: Fire-fig	hting measures	
.1	Extinguishing	media	
	Suitable extingu		Product itself is non-combustible. Fire extinguishing method of surrounding areas must be considered.

5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.

Dur	· •	n reactor, filled with HT and LT catalyst, 1 pc
	cle number 14-0244 Serhardt GmbH & Co. KG	Analytical Systems
	39 Königswinter	
	printed 28.08.2024, Revision 28.08.2024	Version 4.0. Supersedes version: 3.0 Page 3 / 10
	•	
	A daine for finding to a	
5.3	Advice for firefighters	Use self-contained breathing apparatus.
		Collect contaminated firefighting water separately, must not be discharged into the drains. Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.
SEC	TION 6: Accidental release measu	
6.1	Personal precautions, protective	equipment and emergency procedures
		Wear suitable protective equipment. For personal protection see SECTION 8.
6.2	Environmental precautions	
		Do not discharge into the drains/surface waters/groundwater. In case the product spills into drains/surface waters/groundwater, immediately inform the authorities.
6.3	Methods and material for contain	ment and cleaning up
		Take up mechanically. Avoid production of dust. Dispose of absorbed material in accordance within the regulations.
6.4	Reference to other sections	
		See SECTION 8+13
SEC	TION 7: Handling and storage	
7.1	Precautions for safe handling	
		The normal safety precautions for handling chemicals must be observed.
		Provide suitable vacuuming at the processing area. Avoid contact with eyes and skin. Use personal protective equipment.
		Wash hands before breaks and after work.
		Do not eat, drink or smoke when using this product.
		Use barrier skin cream. Take off contaminated clothing and wash before reuse.
7.2	Conditions for safe storage, inclu	iding any incompatibilities
	-	Keep only in original container.
		Do not store together with acids and alkalies. Do not store together with food and animal food/diet. Do not store with combustible and/or organic materials.
		Store in a dry place.
7.3	Specific end use(s)	See product use, SECTION 1.2
850	TION 9: Experiere controle / porce	•
	TION 8: Exposure controls / perso	יומו אוסובטווטוו
8.1	Control parameters	tra limita ta ha manitarad (UK)
	Ingredients with occupational exposi	not relevant
		notroicvant

not relevant

Safety Data Sheet (UK REACH) (UK)
DumaReact, Prepacked combustion reactor, filled with HT and LT catalyst, 1 pc
Article number 14-0244
C. Gerhardt GmbH & Co. KG
53639 Königswinter



Date printed 28.08.2024, Revision 28.08.2024

Version 4.0. Supersedes version: 3.0 Page 4 / 10

8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation.
Eye protection	safety glasses (EN 166:2001)
Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. 0,4 mm; butyl rubber, > 120 min (EN 374)
Skin protection	light protective clothing
Other	Avoid contact with eyes and skin. Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier.
Respiratory protection	Respiratory protection in the case of dust formation. Use Safety mask. (DIN EN 149)
Thermal hazards	none
Delimitation and monitoring of the environmental exposition	Comply with applicable environmental regulations limiting discharge to air, water and soil.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

internation on baolo physical and	
Physical state	solid
Form	Solids / granules in the housing
Color	(LT) green (HT) brown
Odor	odourless
Odour threshold	No information available.
pH-value	not applicable
pH-value [1%]	not applicable
Boiling point or initial boiling point and boiling range [°C]	not applicable
Flash point [°C]	not applicable
Flammability	not applicable
Lower explosion limit	not applicable
Upper explosion limit	not applicable
Oxidising properties	no
Vapour pressure/gas pressure [kPa]	not applicable
Density [g/cm ³]	No information available.
Relative density	No information available.
Bulk density [kg/m³]	No information available.
Solubility in water	No information available.
Solubility other solvents	No information available.
Partition coefficient n-octanol/water (log value)	not applicable
Kinematic viscosity	not applicable
Relative vapour density	not applicable
Melting point [°C]	not determined
Auto-ignition temperature [°C]	not self-igniting
Decomposition temperature [°C]	No information available.
Particle characteristics	No information available.

9.2 Other information

none



Date printed 28.08.2024, Revision 28.08.2024

Version 4.0. Supersedes version: 3.0 Page 5 / 10

SECTION 10: Stability and reactivity

10.1 Reactivity

No dangerous reactions known if used as directed.

10.2 Chemical stability

The product is stable under standard conditions.

10.3 Possibility of hazardous reactions

Reactions with combustible and/or substances. Reactions with strong acids and alkalies.

10.4 Conditions to avoid

See SECTION 7.2.

10.5 Incompatible materials

See SECTION 10.3.

10.6 Hazardous decomposition products

No decomposition if used and stored according to specifications.



Date printed 28.08.2024, Revision 28.08.2024

Version 4.0. Supersedes version: 3.0

Page 6 / 10

SECTION 11: Toxicological information

Product

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity

Based on the available information, the classification criteria are not fulfilled.

ATE-mix, oral, > 2000 mg/kg

Substance
Dicopper oxide, CAS: 1317-39-1
LD50, oral, 1340 mg/kg

Acute dermal toxicity

Based on the available information, the classification criteria are not fulfilled.

Substance
Dicopper oxide, CAS: 1317-39-1
I D50, dermal. > 2000 mg/kg

Acute inhalational toxicity

Based on the available information, the classification criteria are not fulfilled.

Product
ATE-mix, inhalativ (dust), > 5 mg/l

Substance
Dicopper oxide, CAS: 1317-39-1
C50, inhalativ (dust), 3,34 mg/l, 4h

	Serious eye damage/irritation	Based on the available information, the classification criteria are not fulfilled.
	Skin corrosion/irritation	Based on the available information, the classification criteria are not fulfilled.
	Respiratory or skin sensitisation	Based on the available information, the classification criteria are not fulfilled.
	Specific target organ toxicity — single exposure	Based on the available information, the classification criteria are not fulfilled.
	Specific target organ toxicity — repeated exposure	Based on the available information, the classification criteria are not fulfilled.
	Mutagenicity	Based on the available information, the classification criteria are not fulfilled.
	Reproduction toxicity	Based on the available information, the classification criteria are not fulfilled.
	Carcinogenicity	Based on the available information, the classification criteria are not fulfilled.
	Aspiration hazard	Based on the available information, the classification criteria are not fulfilled.
	General remarks	
		Toxicological data of complete product are not available.
11.2	Information on other hazards	
	11.2.1 Endocrine disrupting properties	No information available.
	11.2.2 Other information	none



Date printed 28.08.2024, Revision 28.08.2024

Version 4.0. Supersedes version: 3.0 Page 7 / 10

SECTION 12: Ecological information

12.1 Toxicity

Substance		
Dicopper oxide, CAS: 1317-39-1		
LC50, 25 µg Cu/l (pH=5,5-6,5)		
LC50, 35 µg Cu/l (pH>6,5-7,5)		
LC50, 29,8 µg Cu/l (pH>7,5-8,5)		

12.2 Persistence and degradability

Behaviour in environment compartments	No information available.	
Behaviour in sewage plant	No information available.	
Biological degradability		
Substance		
Dicopper of	Dicopper oxide, CAS: 1317-39-1	

The methods for determining the boilogical degradability are not applicable to inorganic substances.

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

The product is insoluble in water.

12.5 Results of PBT and vPvB assessment

No information available.

12.6 Endocrine disrupting properties

No information available.

12.7 Other adverse effects

Do not allow product to reach the drainage.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

	Dispose of as hazardous waste.	
Waste no. (recommended)	060315*	
Contaminated packaging		
	Contaminated packing should be disposed of as product waste.	
Waste no. (recommended)	150110* packaging containing residues of or contaminated by hazardous substances	



Date printed 28.08.2024, Revision 28.08.2024

Version 4.0. Supersedes version: 3.0 Page 8 / 10

SEC	TION 14: Transport information	
14.1	UN number or ID number	
	Transport by land according to ADR/RID	3077
	Inland navigation (ADN)	3077
	Marine transport in accordance with IMDG	3077
	Air transport in accordance with IATA	3077
14.2	UN proper shipping name	
	Transport by land according to ADR/RID	Environmentally hazardous substance, solid, n.o.s. (Dicopper oxide)
	- Classification Code	M7
	- Label	
	- ADR LQ	5 kg
	- ADR 1.1.3.6 (8.6)	Transport category (tunnel restriction code) 3 (-)
	Inland navigation (ADN)	Environmentally hazardous substance, solid, n.o.s. (Dicopper oxide)
	- Classification Code	M7
	- Label	
	Marine transport in accordance with IMDG	Environmentally hazardous substance, solid, n.o.s. (Dicopper oxide)
	- EMS	F-A, S-F
	- Label	
	- IMDG LQ	5 kg
	Air transport in accordance with IATA	Environmentally hazardous substance, solid, n.o.s. (Dicopper oxide)
	- Label	
14.3	Transport hazard class(es)	
	Transport by land according to ADR/RID	9 (N)
	Inland navigation (ADN)	9 (N)
	Marine transport in accordance with IMDG	9
	Air transport in accordance with IATA	9



Date printed 28.08.2024, Revision 28.08.2024	Version 4.0. Supersedes version: 3.0	Page 9 / 10
--	--------------------------------------	-------------

14.4	Packing group Transport by land according to ADR/RID	III
	Inland navigation (ADN)	Ш
	Marine transport in accordance with IMDG	Ш
	Air transport in accordance with IATA	Ш
14.5	Environmental hazards	
	Transport by land according to ADR/RID	yes
	Inland navigation (ADN)	yes
	Marine transport in accordance with IMDG	MARINE POLLUTANT
	Air transport in accordance with IATA	yes
14.6	Special precautions for user	
	Relevant information under SECTION 6	to 8.
14.7	Maritime transport in bulk accordi	ng to IMO instruments

No information available.

SEC	SECTION 15: Regulatory information		
15.1	Safety, health and environmental regulations/legislation specific for the substance or mixture		
	EEC-REGULATIONS	2008/98/EG (2000/532/EC); 2010/75/EU; 2004/42/EG; (EG) 648/2004; (EC) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EWG ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131; (EU) 517/2014; (EU) 2019/1148; (EU) 2019/1021, (EU) 2023/707	
	- Comment on component parts	Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.	
	- Annex XIV (REACH)	According to Annex XIV of Regulation (EC) 1907/2006 (REACH) the product does not contain any substances \geq 0.1% that are subject to authorisation.	
	- Annex XVII (REACH)	According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product contains $\ge 0.1\%$ of substances with the following restrictions. 75	
		According to Annex XVII of Regulation (EC) 1907/2006 (REACH) the product is not subject to any restrictions.	
	TRANSPORT-REGULATIONS	ADR (2023); IMDG-Code (2023, 41. Amdt.); IATA-DGR (2024)	
	NATIONAL REGULATIONS (UK):	EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK REACH; GB CLP.	
	- Observe employment restrictions for people	Observe employment restrictions for young people. SEVESO III (Directive 2012/18/EU), Hazard categories in accordance with Regulation (EC) No 1272/2008: E1 ENVIRONMENTAL HAZARDS	
	- VOC (2010/75/CE)	not relevant	
15.2	Chemical safety assessment		
		not applicable	

Safety Data Sheet (UK REACH) (UK)
DumaReact, Prepacked combustion reactor, filled with HT and LT catalyst, 1 pc
Article number 14-0244
C. Gerhardt GmbH & Co. KG
53639 Königswinter



Date printed 28.08.2024, Revision 28.08.2024

SECTION 16: Other information

Version 4.0. Supersedes version: 3.0

Page 10 / 10

16.1 Hazard statements (SECTION 3)		
	H410 Very toxic to aquatic life with long lasting effects.	
	H400 Very toxic to aquatic life.	
	H318 Causes serious eye damage.	
	H312+H332 Harmful in contact with skin or if inhaled.	
16.2 Abbreviations and acronyms:		
	ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route	
	RID = Règlement concernant le transport international ferroviaire de marchandises	
	dangereuses ADN = Accord européen relatif au transport international des marchandises dangereuses par	
	voie de navigation intérieure ATE = acute toxicity estimate	
	CAS = Chemical Abstracts Service	
	CLP = Classification, Labelling and Packaging	
	DMEL = Derived Minimum Effect Level	
	DNEL = Derived No Effect Level	
	EC50 = Median effective concentration ECB = European Chemicals Bureau	
	EEC = European Economic Community	
	EINECS = European Inventory of Existing Commercial Chemical Substances	
	EL50 = Median effective loading	
	ELINCS = European List of Notified Chemical Substances	
	EmS = Emergency Schedules GHS = Globally Harmonized System of Classification and Labelling of Chemicals	
	IATA = International Air Transport Association	
	IBC-Code = International Code for the Construction and Equipment of Ships carrying	
	Dangerous Chemicals in Bulk	
	IC50 = Inhibition concentration, 50%	
	IMDG = International Maritime Code for Dangerous Goods IUCLID = International Uniform ChemicaL Information Database	
	IVIS = In vitro irritation score	
	LC50 = Lethal concentration, 50%	
	LD50 = Median lethal dose	
	LC0 = lethal concentration, 0%	
	LOAEL = lowest-observed-adverse-effect level LL50 = Median lethal loading	
	LQ = Limited Quantities	
	MARPOL = International Convention for the Prevention of Marine Pollution from Ships NOAEL = No Observed Adverse Effect Level	
	NOEC = No Observed Effect Concentration	
	PBT = Persistent, Bioaccumulative and Toxic substance	
	PNEC = Predicted No-Effect Concentration	
	REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals STP = Sewage Treatment Plant	
	TLV®/TWA = Threshold limit value – time-weighted average	
	TLV®STEL = Threshold limit value - short-time exposure limit	
	VOC = Volatile Organic Compounds	
	vPvB = very Persistent and very Bioaccumulative	
16.3 Other information		
Classification procedure	Eye Dam. 1: H318 Causes serious eye damage. (Calculation method)	
	Aquatic Acute 1: H400 Very toxic to aquatic life. (Calculation method) Aquatic Chronic 1: H410 Very toxic to aquatic life with long lasting effects. (Calculation method)	
Modified position	2.1, 2.2, 2.3, 11.2, 12.2, 12.6, 14.1, 14.2, 14.3, 14.4, 14.5, 14.6, 15.1	
Copyright: Chemiebüro®		